Page: 1 of 5

CONQUEST #20 POWER CLEAN EXTRA

1. Product and Company Identification

Product Code: 4590

Product Name: CONQUEST #20 POWER CLEAN EXTRA Revision: 04/20/2023

Supersedes Revision: 05/31/2017

Manufacturer Information:PDQ Manufacturing, Inc.Phone Number:

201 Victory Circle (706)636-1848

Ellijay, GA 30540

Web site address: www.pdqonline.com

Emergency Contact: Chemtrec (800)424-9300 / 24 Hr.

Leak, Spill, Exposure, Fire, Accident

Supplier Name and Address: Phone Number:

2. Hazards Identification

Skin Corrosion/Irritation, Category 1A



GHS Signal Word: Danger

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.

GHS Precaution Phrases: P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves and eye protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling

poison control center or physician.

P310 - Immediately call a POISON CENTER or doctor/physician.

P321 - Specific treatment see section 4 of this SDS. P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal

posal P405 - Store locked up.

Phrases: P501 - Dispose of contents/container via local/regional/national/international regulation.

Potential Health Effects Prolonged or repeated eye contact may cause conjunctivitis.

(Acute and Chronic): Prolonged or repeated skin contact may cause dermatitis.

Inhalation: Harmful if inhaled. Irritation may lead to chemical pneumonitis and pulmonary edema.

Causes chemical burns to the respiratory tract.

Skin Contact: Causes severe burns with delayed tissue destruction. Causes redness and pain. May

cause skin rash (in milder cases), and cold and clammy skin with cyanosis or pale color.

Eye Contact: Causes severe eye burns. Causes redness and pain. May cause chemical conjunctivitis

and corneal damage.

CONQUEST #20 POWER CLEAN EXTRA

Ingestion:

Harmful if swallowed. Causes gastrointestinal tract burns. May cause corrosion and permanent tissue destruction of the esophagus and digestive tract.

3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concentration

1310-58-3 Potassium hydroxide {Caustic potash} <10.0 %
1310-73-2 Sodium hydroxide {Caustic soda; Lye solution} <40.0 %
37971-36-1 2-Phosphonobutane-1,2,4-tricarboxylic acid 1.0 -3.0 %

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If breathing is difficult, give

oxygen.

In Case of Skin Contact: Get medical aid immediately. Flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Wash clothing before reuse. Discard contaminated clothing in a manner which limits further exposure. Destroy contaminated

shoes.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Get medical aid immediately. Do NOT allow victim to rub eyes or keep

eyes closed.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Get medical aid immediately. If

victim is fully conscious, give a cupful of water.

Note to Physician: None known.

5. Fire Fighting Measures

Flash Pt: NP Method Used: Estimate

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: NP

Suitable Extinguishing Media: Use dry sand or earth to smother fire. Substance is noncombustible; use agent most

appropriate to extinguish surrounding fire.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn.

During a fire, irritating and highly toxic gases may be generated by thermal

decomposition or combustion.

Flammable Properties and

Hazards:

No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective

Equipment section. Avoid generating dusty conditions. Provide ventilation. Avoid runoff

into storm sewers and ditches which lead to waterways.

CONQUEST #20 POWER CLEAN EXTRA

7. Handling and Storage

Precautions To Be Taken in

Handling:

Wash thoroughly after handling. Do not get in eyes, on skin, or on clothing. Keep container tightly closed. Do not ingest or inhale. Do not allow contact with water. Discard

contaminated shoes. Avoid ingestion and inhalation. Keep container closed when not in use.

Precautions To Be Taken in

Storing:

8. Exposure Controls/Personal Protection					
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits	
1310-58-3	Potassium hydroxide {Caustic potash}	No data.	CEIL: 2 mg/m3	No data.	
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.	
37971-36-1	2-Phosphonobutane-1,2,4-tricarboxylic	No data.	No data.	No data.	

Respiratory Equipment

acid

(Specify Type): Eye Protection: Respirator protection is not normally required.

Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. **Other Protective Clothing:** Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

There are no special ventilation requirements. Facilities storing or utilizing this material

should be equipped with an eyewash facility and a safety shower.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Mild odor.

Dark brown liquid

Freezing Point: ~ 40.00 F - 0.00 F **Boiling Point:** 0.00 C − 0.00 C

Autoignition Pt: NP

Flash Pt: NP Method Used: Estimate

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): ~ 1.460 Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.

Evaporation Rate: No data.

Solubility in Water: Complete

Viscosity: Thin

pH: > 12.5

Percent Volatile: No data.

CONQUEST #20 POWER CLEAN EXTRA

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - No specific conditions to avoid noted.

Instability:

Incompatibility - Materials To Acids, Sulfur oxides. Metals. Aluminum, Zinc, nitromethane, leather, organic halogens.

Avoid:

Hazardous Decomposition or Oxides of potassium, hydrogen gas. Toxic fumes of sodium oxide.

Byproducts:

Possibility of Hazardous Will occ

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - Product will not undergo polymerization.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
1310-58-3	Potassium hydroxide {Caustic potash}	n.a.	n.a.	n.a.	n.a.
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	n.a.	n.a.	n.a.	n.a.
37971-36-1	2-Phosphonobutane-1,2,4-tricarboxylic acid	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified

as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local

hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide, Sodium hydroxide)

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN3266 Packing Group: II



15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1310-58-3	Potassium hydroxide {Caustic potash}	No	Yes 1000 LB	No
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	No	Yes 1000 LB	No
37971-36-1	2-Phosphonobutane-1,2,4-tricarboxylic acid	No	No	No

CONQUEST #20 POWER CLEAN EXTRA

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1310-58-3	Potassium hydroxide {Caustic potash}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
37971-36-1	2-Phosphonobutane-1,2,4-tricarboxylic acid	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

16. Other Information

Revision Date: 04/20/2023

Preparer Name: Regulatory Affairs

Hazard Rating System:



HMIS:

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.