

SAFETY DATA SHEET**TAKE-OFF****1. Product and Company Identification**

Product Code: 4318
Product Name: TAKE-OFF
Revision: 11/29/2021
Supersedes Revision: 05/27/2021

Manufacturer Information: PDQ Manufacturing, Inc.
 201 Victory Circle
 Ellijay, GA 30540
Phone Number:
 (706)636-1848

Emergency Contact: Chemtel, MIS5722101 / 24 Hour
 Leak, Spill, Exposure, Fire, Accident
Phone: (800)255-3924

Supplier Information: SOUTHERN PRODUCTS & SERVICE
 2515 JAKE DRIVE
 CUMMING, GA 30028
Phone Number:
 (678)947-4600

2. Hazards Identification

Skin Corrosion/Irritation, Category 1A-1C
Aquatic Toxicity (Acute), Category 2
Corrosive To Metals, Category 1
Serious Eye Damage/Eye Irritation, Category 1
Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: **Danger**

GHS Hazard Phrases: H290 - May be corrosive to metals.
 H314 - Causes severe skin burns and eye damage.
 H318 - Causes serious eye damage.
 H335 - May cause respiratory irritation.
 H401 - Toxic to aquatic life.

GHS Precautionary Phrases: P234 - Keep only in original container.
 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
 P264 - Wash hands thoroughly after handling.
 P271 - Use only outdoors or in a well-ventilated area.
 P273 - Avoid release to the environment.
 P280 - Wear protective gloves and eye protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.
 P310 - Immediately call a POISON CENTER or doctor/physician.
 P321 - Specific treatment see section 4 on this SDS.
 P363 - Wash contaminated clothing before reuse.

SAFETY DATA SHEET**TAKE-OFF**

| | |
|--|---|
| GHS Storage and Disposal Phrases: | P390 - Absorb spillage to prevent material damage. P405 - Store locked up. P501 - Dispose of contents/container to trash after rinsing container. |
| Potential Health Effects (Acute and Chronic): | Prolonged or repeated skin contact may cause dermatitis. |
| Inhalation: | May cause severe irritation of the respiratory tract with sore throat, coughing, shortness of breath and delayed lung edema. Irritation may lead to chemical pneumonitis and pulmonary edema. |
| Skin Contact: | Causes skin burns. May cause deep, penetrating ulcers of the skin. May cause skin rash (in milder cases), and cold and clammy skin with cyanosis or pale color. |
| Eye Contact: | Causes eye burns. May cause chemical conjunctivitis and corneal damage. |
| Ingestion: | May cause severe and permanent damage to the digestive tract. Causes gastrointestinal tract burns. May cause perforation of the digestive tract. Causes severe pain, nausea, vomiting, diarrhea, and shock. |

3. Composition/Information on Ingredients

| CAS # | Hazardous Components (Chemical Name) | Concentration |
|--------------|--|----------------------|
| 7681-52-9 | Sodium hypochlorite {Hypochlorous acid, sodium salt} | ~12.5 % |
| 1310-73-2 | Sodium hydroxide {Caustic soda; Lye solution} | < 5.0 % |

4. First Aid Measures**Emergency and First Aid****Procedures:**

| | |
|---------------------------------|---|
| In Case of Inhalation: | Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid. |
| In Case of Skin Contact: | Get medical aid immediately. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. |
| In Case of Eye Contact: | Get medical aid immediately. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. |
| In Case of Ingestion: | Do NOT induce vomiting. Get medical aid immediately. If swallowed, do NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. |

5. Fire Fighting Measures**Flash Pt:**

Explosive Limits: LEL: UEL:

Autoignition Pt:

Suitable Extinguishing Media: Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Contact with metals may evolve flammable hydrogen gas.

Flammable Properties and Hazards:

TAKE-OFF

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.
Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. Provide ventilation. Vacuum or sweep up material and place into a suitable disposal container. Avoid runoff into storm sewers and ditches which lead to waterways.

7. Handling and Storage

Precautions To Be Taken in Handling: Avoid breathing dust, mist, or vapor. Keep container tightly closed. Avoid contact with clothing and other combustible materials. Avoid ingestion and inhalation. Use with adequate ventilation. Discard contaminated shoes. Wash thoroughly after handling. Do not get in eyes, on skin, or on clothing.

Precautions To Be Taken in Storing: Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from metals. Corrosives area. Keep away from acids.

8. Exposure Controls/Personal Protection

| CAS # | Partial Chemical Name | OSHA TWA | ACGIH TWA | Other Limits |
|-----------|--|--------------------------|---------------------------|--------------|
| 7681-52-9 | Sodium hypochlorite {Hypochlorous acid, sodium salt} | | | |
| 1310-73-2 | Sodium hydroxide {Caustic soda; Lye solution} | PEL: 2 mg/m ³ | CEIL: 2 mg/m ³ | |

Respiratory Equipment (Specify Type): A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear yellow-green liquid
Pungent chlorine odor.

Freezing Point: 0.00 F

Boiling Point:

Autoignition Pt:

Flash Pt:

Explosive Limits: LEL: UEL:

Specific Gravity (Water = 1): ~ 1.200

SAFETY DATA SHEET**TAKE-OFF**

Vapor Pressure (vs. Air or mm Hg): ~ 12 MM_HG

Vapor Density (vs. Air = 1):

Evaporation Rate:

Solubility in Water: miscible

Viscosity: thin

pH: 9.5-10.5 - @ 0.02%

Percent Volatile:

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: Light, Excess heat, Ultraviolet light.

Incompatibility - Materials To Avoid: Oxidizing agents, Sulfur oxides. Metals. Acids, Aluminum, Zinc, organic halogens. organic matter.

Hazardous Decomposition or Byproducts: Hydrogen chloride, chlorine.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions:

11. Toxicological Information

Toxicological Information: CAS# 7681-52-9:

Acute demal toxicity: LD50 rabbit
Dose > 2,000 mg/kg

Skin irritation: Rabbit
Non irritant

Eye irritation: Rabbit
minimal irritant, LD50, Oral, Mouse, 5800. MG/KG.

Result:
Behavioral: Change in motor activity (specific assay).
Gastrointestinal: Other changes.
- Shokuhin Eiseigaku Zasshi. Food Hygiene Journal., Nippon Shokuhin Eisei Gakkai, c/o Shokuhin Eisei Senta, 2-6-1 Jingumae, Shibuya-ku, Tokyo 150 Japan, Vol/p/yr: 27,553, 1986

| CAS # | Hazardous Components (Chemical Name) | NTP | IARC | ACGIH | OSHA |
|-----------|--|------|------|-------|------|
| 7681-52-9 | Sodium hypochlorite {Hypochlorous acid, sodium salt} | n.a. | n.a. | n.a. | n.a. |
| 1310-73-2 | Sodium hydroxide {Caustic soda; Lye solution} | n.a. | n.a. | n.a. | n.a. |

12. Ecological Information

SAFETY DATA SHEET

TAKE-OFF

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.
RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Hypochlorite solutions [with more than 5 percent but less than 16 percent available chlorine]

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN1791 **Packing Group:** III



15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

| CAS # | Hazardous Components (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) |
|-----------|--|--------------|-----------|--------------|
| 7681-52-9 | Sodium hypochlorite {Hypochlorous acid, sodium salt} | No | Yes NA | No |
| 1310-73-2 | Sodium hydroxide {Caustic soda; Lye solution} | No | Yes NA | No |

| CAS # | Hazardous Components (Chemical Name) | Other US EPA or State Lists |
|-----------|--|---|
| 7681-52-9 | Sodium hypochlorite {Hypochlorous acid, sodium salt} | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No |
| 1310-73-2 | Sodium hydroxide {Caustic soda; Lye solution} | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No |

16. Other Information

Revision Date: 05/27/2021
Preparer Name: Regulatory Affairs

| | | |
|------------------------------|---------------------|---|
| Hazard Rating System: | HEALTH | 3 |
| | FLAMMABILITY | 0 |
| | REACTIVITY | 2 |
| | PPE | B |

HMIS:

Additional Information About This Product:

Company Policy or Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.