



according to OSHA HCS (29CFR 1910.1200)

Revision: August 05, 2019

#### 1 Identification

· Product identifier

· Trade name: Stain-Away: Liquid Emulsifier

· Other means of identification: No other identifiers

· Recommended use and restriction on use

· Recommended use: Stain remover.

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Southern Products & Services, Inc.

2515 Jake Drive

Suite B

Cumming, GA 30028 (678) 947-4600

Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

### 2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS05

· Signal word: Danger

· Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eve damage.

· Precautionary statements:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

Other hazards There are no other hazards not otherwise classified that have been identified.

(Cont'd. on page 2)





according to OSHA HCS (29CFR 1910.1200)

Revision: August 05, 2019

Trade name: Stain-Away: Liquid Emulsifier

(Cont'd. of page 1)

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:				
68213-24-1	c12-16 alcohol ethoxylate propoxylate	5-10%		
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319			
68603-25-8	Alcohols, C8-10, ethoxylated, propoxylated	5-10%		
	Eye Dam. 1, H318 Acute Tox. 4, H302			
67-63-0	Propan-2-ol	<5%		
	<ul><li>♠ Flam. Liq. 2, H225</li><li>♠ Eye Irrit. 2A, H319; STOT SE 3, H336</li></ul>			

#### · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Most important symptoms and effects, both acute and delayed: Causes skin irritation.
- · Danger: Causes serious eye damage.
- Indication of any immediate medical attention and special treatment needed:

No relevant information available.

### 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

(Cont'd. on page 3)





according to OSHA HCS (29CFR 1910.1200)

Revision: August 05, 2019

Trade name: Stain-Away: Liquid Emulsifier

(Cont'd. of page 2)

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment as required.

Particular danger of slipping on leaked/spilled product.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### · Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid breathing mist, vapors, or spray.

Keep out of reach of children.

Handle with care.

- Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

· Control parameters

· Components with limit va	lues that require monitoring at the workplace:
67-63-0 Propan-2-ol	

PEL (USA)	Long-term value: 980 mg/m³, 400 ppm
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm
	II ong-term value: 980 mg/m <sup>3</sup> 400 nnm

(Cont'd. on page 4)





according to OSHA HCS (29CFR 1910.1200)

Revision: August 05, 2019

Trade name: Stain-Away: Liquid Emulsifier

(Cont'd. of page 3)

TLV (USA) Short-term value: 984 mg/m³, 400 ppm

Long-term value: 492 mg/m³, 200 ppm

BEI

EL (Canada) | Short-term value: 400 ppm

Long-term value: 200 ppm

EV (Canada) Short-term value: 400 ppm

Long-term value: 200 ppm

LMPE (Mexico) | Short-term value: 400 ppm

Long-term value: 200 ppm

A4, IBE

#### Ingredients with biological limit values:

#### 67-63-0 Propan-2-ol

BEI (USA) 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

#### Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Engineering controls: No relevant information available.
- · Breathing equipment: Not required under normal conditions of use.
- Protection of hands:

Gloves not required under normal conditions of use.

Wear protective gloves to handle contents of damaged or leaking units.

Gloves are advised for repeated or prolonged contact.

- · Material of gloves Rubber gloves
- Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

Body protection:

Protective work clothing

Protection may be required for spills.

Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

### 9 Physical and chemical properties

- Information on basic physical and chemical properties
- · Appearance:

(Cont'd. on page 5)





according to OSHA HCS (29CFR 1910.1200)

Revision: August 05, 2019

Trade name: Stain-Away: Liquid Emulsifier

		(Cont'd. of page
Form:	Liquid	
Color:	Dark blue	
· Odor:	Characteristic	
Odor threshold:	Not determined.	
· pH-value:	8.2-9.2	
· Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	Not determined.	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	iter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

## 10 Stability and reactivity

- Reactivity: The product is non-reactive under normal conditions of use, storage and transport.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

### · Possibility of hazardous reactions

Reacts with alkali (lyes).

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid Excessive heat.
- Incompatible materials

Alkalis.

(Cont'd. on page 6)





according to OSHA HCS (29CFR 1910.1200)

Revision: August 05, 2019

Trade name: Stain-Away: Liquid Emulsifier

(Cont'd. of page 5)

Oxidizers

· Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- On the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity

68603-25-8 Alcohols, C8-10, ethoxylated, propoxylated

EC50 >10-<100 mg/l (Pseudokirchneriella subcapitata) (OECD Guideline 201)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

(Cont'd. on page 7)





according to OSHA HCS (29CFR 1910.1200)

Revision: August 05, 2019

Trade name: Stain-Away: Liquid Emulsifier

(Cont'd. of page 6)

system.

• Other adverse effects No relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
Transport hazard class(es)	
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Environmental hazards · Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 8)





according to OSHA HCS (29CFR 1910.1200)

Revision: August 05, 2019

Trade name: Stain-Away: Liquid Emulsifier

(Cont'd. of page 7)

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-63-0 Propan-2-ol

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision August 05, 2019 / -

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/

(Cont'd. on page 9)





according to OSHA HCS (29CFR 1910.1200)

Revision: August 05, 2019

Trade name: Stain-Away: Liquid Emulsifier

(Cont'd. of page 8)

overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com