RINESE CLEAR HW 27

1. Product and Company Identification				
Product Code:	4585			
Product Name:	RINESE CLEAR HW 27	Revision: 12/21/2023		
		Supersedes Revision: 11/07/2022		
Manufacturer Information:	PDQ Manufacturing, Inc.	Phone Number:		
	201 Victory Circle	(706)636-1848		
	Ellijay, GA 30540			
Web site address:	www.pdqonline.com			
Emergency Contact:	Chem-tel (800)255-3924 / 24 Hr.			
	Leak, Spill, Exposure, Fire, Accident			
Supplier Name and Address:	SOUTHERN PRODUCTS & SERVICE	Phone Number:		
	2515 JAKE DRIVE	678/947-4600		
	CUMMING, GA 30028			
	2. Hazards Identificatio	n		

Eye Irritation, Category 2



GHS Signal Word:	Warning
GHS Hazard Phrases:	H319 - Causes serious eye irritation.
GHS Precautionary Phrases	P264 - Wash hands thoroughly after handling. P280 - Wear eye protection.
GHS Response Phrases:	 P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician. P337+313 - If eye irritation persists, get medical advice/attention.
GHS Storage and Disposal Phrases:	No phrases apply.
Potential Health Effects (Acute and Chronic):	
Inhalation:	Irritating to respiratory system.
Skin Contact:	Causes skin irritation.
Eye Contact:	Causes eye irritation.
Ingestion:	May be harmful if swallowed.
3.	Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
68987-81-5	Alkoxylated linear alcohol	<20.0 %
1300-72-7	Sodium xylenesulfonate	7.0 -15.0 %

4. First Aid Measures

	4. FIRST AID Measures			
Emergency and First Aid				
Procedures:				
n Case of Inhalation:	If breathed in, move person into fresh air.			
n Case of Skin Contact:	Wash off with soap and plenty of water.			
n Case of Eye Contact:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.			
n Case of Ingestion:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.			
Signs and Symptoms Of Exposure:	To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.			
	5. Fire Fighting Measures			
Flash Pt:	~ 200.00 F Method Used: Estimate			
Explosive Limits:	LEL: N/A UEL: N/A			
Autoignition Pt:	NP			
Suitable Extinguishing Media	a:Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.			
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand,			
	MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn.			
Flammable Properties and Hazards:				
	6. Accidental Release Measures			
Steps To Be Taken In Case	Use proper personal protective equipment as indicated in Section 8.			
Material Is Released Or	Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place			
Spilled:	in suitable container. Personal precautions.			
	7. Handling and Storage			
Precautions To Be Taken in	No special handling procedures are required. Avoid contact with skin and eyes.			
Handling: Precautions To Be Taken in	No special storage requirements.			
Storing:				
8	8. Exposure Controls/Personal Protection			
CAS # Partial Chemical				
68987-81-5 Alkoxylated linear				
1300-72-7 Sodium xylenesul				
Respiratory Equipment	Respirator protection is not normally required.			
Specify Type):				
Eye Protection:	Use equipment for eye protection tested and approved under appropriate government			
,	standards such as NIOSH (US) or EN 166(EU).			
Protective Gloves:	Protective garments not normally required.			
Other Protective Clothing:	Protective garments not normally required.			
Engineering Controls /Ventilation etc.):	There are no special ventilation requirements.			
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
	DEIDLE DIEARS AND AL LIE END DI WORNDAY.			

SAFETY DATA SHEET

RINESE CLEAR HW 27

9. Physical and Chemical Properties Physical States: []Gas [X]Liquid []Solid Appearance and Odor: .Clear blue liquid Surfactant odor. Melting Point: NA Boiling Point: 100.00 C Decomposition Temperature: NA Autoignition Pt: NP Flash Pt: ~ 200.00 F Method Used: Estimate Explosive Limits: LEL: N/A Specific Gravity (Water = 1): ~ 1.000 Vapor Pressure (vs. Air or mm Hg): 17.5 MM_HG at 20.0 C Vapor Density (vs. Air = 1): Not available Solubility in Water: Complete Viscosity: 1 cP at 20.0 C pH: ~ 4.5-5.5 - @ 0.025%	
Appearance and Odor:.Clear blue liquid Surfactant odor.Melting Point:NABoiling Point:100.00 CDecomposition Temperature:NAAutoignition Pt:NPFlash Pt:~ 200.00 FExplosive Limits:LEL:N/AUEL:N/AN/ASpecific Gravity (Water = 1):~ 1.000Vapor Pressure (vs. Air or m Hg):17.5 MM_HG at 20.0 CVapor Density (vs. Air = 1):Not availableEvaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Surfactant odor.Melting Point:NABoiling Point:100.00 CDecomposition Temperature:NAAutoignition Pt:NPFlash Pt:~ 200.00 FMethod Used:EstimateExplosive Limits:LEL:N/AUEL:N/AVapor Pressure (vs. Air or m Hg):Vapor Density (vs. Air = 1):Not availableEvaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Melting Point:NABoiling Point:100.00 CDecomposition Temperature:NAAutoignition Pt:NPFlash Pt:~ 200.00 FMethod Used:EstimateExplosive Limits:LEL:N/AUEL:Specific Gravity (Water = 1):~ 1.000Vapor Pressure (vs. Air or m Hg):17.5 MM_HG at 20.0 CVapor Density (vs. Air = 1):Not availableEvaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Boiling Point:100.00 CDecomposition Temperature:NAAutoignition Pt:NPFlash Pt:~ 200.00 FMethod Used:EstimateExplosive Limits:LEL:N/AUEL:N/AUEL:N/AVapor Pressure (vs. Air or m Hg):Vapor Density (vs. Air = 1):Not availableEvaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Decomposition Temperature: NAAutoignition Pt:NPFlash Pt:~ 200.00 FMethod Used: EstimateExplosive Limits:LEL: N/AUEL: N/ANASpecific Gravity (Water = 1):~ 1.000Vapor Pressure (vs. Air or mm Hg):17.5 MM_HG at 20.0 CVapor Density (vs. Air = 1):Not availableEvaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Autoignition Pt:NPFlash Pt:~ 200.00 FMethod Used: EstimateExplosive Limits:LEL:N/AUEL:N/ASpecific Gravity (Water = 1):~ 1.000Vapor Pressure (vs. Air or m Hg):17.5 MM_HG at 20.0 CVapor Density (vs. Air = 1):Not availableEvaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Flash Pt:~ 200.00 FMethod Used:EstimateExplosive Limits:LEL:N/AUEL:N/ASpecific Gravity (Water = 1):~ 1.000Vapor Pressure (vs. Air or mm Hg):17.5 MM_HG at 20.0 CVapor Density (vs. Air = 1):Not availableEvaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Explosive Limits:LEL: N/AUEL: N/ASpecific Gravity (Water = 1):~ 1.000Vapor Pressure (vs. Air or mm Hg):17.5 MM_HG at 20.0 CVapor Density (vs. Air = 1):Not availableEvaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Specific Gravity (Water = 1):~ 1.000Vapor Pressure (vs. Air or mm Hg):17.5 MM_HG at 20.0 CVapor Density (vs. Air = 1):Not availableEvaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Vapor Pressure (vs. Air or mm Hg):17.5 MM_HG at 20.0 CVapor Density (vs. Air = 1):Not availableEvaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
mm Hg):Vapor Density (vs. Air = 1):Not availableEvaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Vapor Density (vs. Air = 1):Not availableEvaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Evaporation Rate:Not availableSolubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Solubility in Water:CompleteViscosity:1 cP at 20.0 CpH:~ 4.5-5.5 - @ 0.025%	
Viscosity: 1 cP at 20.0 C pH: ~ 4.5-5.5 - @ 0.025%	
pH: ~ 4.5-5.5 - @ 0.025%	
Percent Volatile:	
10. Stability and Reactivity	
Stability: Unstable [] Stable [X]	
Conditions To Avoid - No data available.	
Instability:	
Incompatibility - Materials To Strong oxidizing agents.	
Avoid:	
Hazardous Decomposition or formed under fire conditions. Carbon oxides,	
Byproducts: Sulphur oxides, Sodium oxides.	
Possibility of Hazardous Will occur [] Will not occur [X] Reactions:	
Conditions To Avoid - Hazardous Reactions:	

		i i i oxioologi					
Toxicologica	I Information:						
Irritation or Corrosion: No data available.							
CAS #	Hazardous Con	nponents (Chemical Name)	NTP	IARC	ACGIH	OSHA	
68987-81-5	Alkoxylated linea	ar alcohol	n.a.	n.a.	n.a.	n.a.	
1300-72-7	Sodium xylenes	ulfonate	n.a.	n.a.	n.a.	n.a.	
	12. Ecological Information						
Persistence and Degradability:		No data available.					
Bioaccumula	tive Potential:	No data available.					
Mobility in Se	oil:	No data available.					
		13. Disposal (Consideratio	ns			
		as a hazardous waste. US in 40 CFR Parts 261. Additi hazardous waste regulation	onally, waste gene	rators must co	nsult state an	nd local	
		14. Transpo	rt Informatio	า			
LAND TRAN	SPORT (US DOT	Г):					
	ard Class:	me: Not regulated as a haza NA None	ardous material.				
		15. Regulato	ry Informatio	n			
EPA SARA (S	uperfund Amendr	ments and Reauthorization Act	of 1986) Lists				
CAS #	Hazardous Con	nponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313	3 (TRI)	
68987-81-5	Alkoxylated linea	ar alcohol	No	No	No		
1300-72-7	Sodium xylenes	ulfonate	No	No	No		
CAS #	Hazardous Components (Chemical Name) Other US EPA or State Lists						
68987-81-5	Alkoxylated linea	ar alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No				
1300-72-7	Sodium xylenesi	ulfonate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			: Yes -	

16. Other Information

Revision Date: Preparer Name:

12/21/2023 Regulatory Affairs

Hazard Rating System:



HMIS:

Additional Information About This Product: Company Policy or Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named

SAFETY DATA SHEET RINESE CLEAR HW 27

product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.